

JOBWELD

EQUIPMENT STOCK LIST

OCT 2008 Page 1

-30/+150°C	MONTFORD ENVIRONMENTAL CABINET (FRONT LOADING) Internal Dimensions: 300mm W x 300mm H x 300mm D Air Circulated. ST / ST Lining. Eurotherm Digital Temperature Controller. Electrical Rating: 1.9Kw. 240V. AC. <u>PRICE = £1190 Ex-works + VAT</u>	E27L
-30/+150°C	ACE ENVIRONMENTAL CABINET (FRONT LOADING) Internal Dimensions: 600mm W x 1000mm H x 630mm D Air Circulated. New Digital Temperature Controller. Honeywell Circular Chart Recorder. Electrical Rating: 3.3Kw. 415V. <u>PRICE = £2275 Ex-works + VAT</u>	E378L
-70/+200°C	RINGWAY ENVIRONMENTAL CABINET (FRONT LOADING) Int. Dimensions: 760mm W x 640mm D x 640mm H Stainless Steel Interior. Eurotherm Programmer/Controller. Analogue Indicator/Excess Temperature Instrument. Electrical Rating: 240V 15A. <u>PRICE = £2015 Ex-works + VAT</u>	E311L
-50/+200°C	CARBOLITE ENVIRONMENTAL CABINET: FRONT LOADING Internal Dimensions: 375mm W x 390mm H x 380mmD Eurotherm 818P Temp. control /Programmer. Electrical Rating: 415V. <u>PRICE = £2145 Ex-works + VAT</u>	E55L
100°C	GENLAB OVEN M53C Internal Dimensions: 490mm W x 330mm H x 330mm D Steel Lining. Thermostat Control / Thermostat Over-Temp. 2 shelves, 3 Runners. Elect. Rating: 0.5Kw. 240V <u>PRICE = £600 Ex-works + VAT</u>	53L
150°C	NGN VACUUM OVEN Internal Dimensions: 610mm W x 610mm H x 610mm D Complete with Thermostat Control. Revolving Table. Door Window. Elect. Rating: 415V. AC. <u>PRICE = £1235 Ex-works + VAT</u>	V227L
150°C	CARBOLITE OVEN Internal Dimensions: 1100mm W x 1250mm H x 780mm D Floor Standing. 1 Shelf, 4 Shelf Positions. Air Circulated. Digital Temperature Control, Over-Temp. Control. Digital Timer. Electrical Rating: 18Kw. 415V. AC. <u>PRICE = £3700 Ex-works + VAT</u>	1072L
200°C	GALLENKAMP OVEN HOT BOX WITH FAN SIZE 3 Internal Dimensions: 480mm W x 930mm H x 400mm D Air Circulation. Aluminium Lined. 14 Shelf Positions. Vent. Control Thermostat. Electrical Rating: 1.05Kw. 240V. AC. <u>PRICE = £1190 Ex-works + VAT</u>	179L

200°C	<p>AEW OVEN</p> <p>Internal Dimensions: 550mm W x 620mm H x 700mm D</p> <p>Floor Standing. Steel Lined. Inlet / Outlet Vent. Digital Temperature Control. Air Circulation. Electrical Rating: 6Kw. 415V. AC.</p> <p><u>PRICE = £1350 Ex-works + VAT</u></p>	237L
225°C (used twice)	<p>AIRFLOW GAS FIRED OVEN MODEL: S7NG225</p> <p>Internal Dimensions: 1500mm W x 2000mm H x 1000mm D</p> <p>Steel Lining. BTC Digital Temperature Control.</p> <p>60Kw. Natural Gas. Electrical Supply: 415V 3 Phase.</p> <p><u>PRICE = £6600 Ex-works + VAT</u></p>	3000L
250°C	<p>HERAEUS OVEN</p> <p>Internal Dimensions: 350mm W x 350mm H x 300mm D</p> <p>Aluminium Lining with stainless steel door panel.</p> <p>Analogue Control / Thermostat Over-Temp. with thermometer readout.</p> <p>Electrical Rating: 0.81Kw. 240V. AC.</p> <p><u>PRICE = £700 Ex-works + VAT</u></p>	42L
250°C	<p>HEDINAIR OVEN</p> <p>Internal Dimensions: 600mm W x 550mm H x 1380mm D</p> <p>Air Circulation. Vertical Sliding Door. Steel Lined.</p> <p>Digital Temperature Control. Vent.</p> <p>Electrical Rating: 10Kw. 415V. AC.</p> <p><u>PRICE = £2500 Ex-works + VAT</u></p>	455L
300°C	<p>FUNDITOR OVEN</p> <p>Internal Dimensions: 560mm W x 660mm H x 570mm D</p> <p>Bench Mounting. Thermostat Temperature Control. 3 Shelf Positions.</p> <p>Electrical. Rating: 3Kw. 240V.AC.</p> <p><u>PRICE = £900 Ex-works + VAT</u></p>	210L
300°C	<p>TRENIBORD OVEN</p> <p>Internal Dimensions: 600mm W x 780mm H x 600mm D</p> <p>Air Circulated. Floor Standing. Analogue Temperature Controller, Digital Over-Temp. Explosion Panel. 2 Shelves Shelf Positions. Exhaust Vent.</p> <p>Electrical. Rating: 7Kw. 415V.AC.</p> <p><u>PRICE = £2275 Ex-works + VAT</u></p>	281L
300°C	<p>JLS OVEN. GAS FIRED (CAN BE CONVERTED TO ELECTRIC)</p> <p>Internal Dimensions: 600mm W x 1000mm H x 600mm D</p> <p>Air Circulated. Steel Lining. Inlet / Outlet Vent.</p> <p>Explosion Panel. Complete with Control Equipment</p> <p><u>PRICE = £1885 Ex-works + VAT</u></p>	306L
300°C	<p>BARLOW & WHITNEY OVEN E300/666/HAF</p> <p>Internal Dimensions: 600mm W x 700mm H x 750mm D</p> <p>Air Circulated. Floor Standing. Analogue Temperature Controller, Thermostat Over-Temp. Explosion Panel. 4 Shelf Positions. Vent/ Exhaust.</p> <p>Electrical. Rating: 6Kw. 415V.AC.</p> <p><u>PRICE = £2995 Ex-works + VAT</u></p>	325L

300°C	<p>MILLITORR OVEN Internal Dimensions: 555mm W x 1220mm H x 605mm D. Air Circulated. Steel Lining. Inlet/Outlet Vent. New Digital Temperature Control, & Over-Temp. Thermostat. 3 Shelves, 6 Positions. Electrical Rating: 12Kw. 440V. AC. <u>PRICE = £2275 Ex-works + VAT</u></p>	409L
300°C	<p>BARLOW & WHITNEY OVEN E35/6126/HAF Internal Dimensions: 610mm W x 1300mm H x 800mm D Air Circulated. Stainless Steel Lining. Vent/ Exhaust Fan. Honeywell Digital Temp. Control & Chart Recorder Thermostat . Over-Temp. Control. Explosion Panel. 2 Shelves, 8 Positions. Electrical. Rating: 9Kw. 415V.AC. <u>PRICE = £3315 Ex-works + VAT</u></p>	624L
400°C	<p>BARLOW & WHITNEY OVEN E400/15S Internal Dimensions: 450mm W x 450mm H x 450mm D Air Circulated. Honeywell Analogue Control. Thermostat Over-Temp. Floor Standing.2 Shelves, 8 Positions. Vent/ Exhaust. Electrical. Rating: 4Kw. 415V.AC. <u>PRICE = £2275 Ex-works + VAT</u></p>	91L
400°C	<p>AEW OVEN Internal Dimensions: 785mm W x 960mm H x 1040mm D Air Circulation. Floor Standing. Steel Lined. Inlet / Outlet Vent. Digital Temperature Control. Trolley Load Slots. Electrical Rating: 24Kw. 415V. AC. <u>PRICE = £3770 Ex-works + VAT</u></p>	784L
600°C	<p>CATTERSON SMITH Internal Dimensions: 400mm W x 300mm H x 1250mm D. Floor Standing. Side Hinged Door. West 3510 Temperature Control. Elect. Rating: 10Kw. 415V AC. <u>PRICE = £2145 Ex-works + VAT</u></p>	150L
600°C	<p>LPC OVEN Internal Dimensions: 850mm W x 1220mm H x 455mm D. Floor Standing. Air Circulation with Variable Speed Fan. 10 shelf runners. CAL 9000 Control, Elect. Rating: 16Kw. 415V AC. <u>PRICE = £2995 Ex-works + VAT</u></p>	472L
650°C VFC	<p>WILD BARFIELD : MODEL TRT 1010 (TOP LOADING) Internal Dimensions: 250 DIA x 250mm Deep. Air Circulation. Analogue Temp. Controller / Indicator. Electrical Rating: 4Kw 240V. AC <u>PRICE = £1550 Ex-works + VAT.</u></p>	TRT1010
650°C VFC	<p>WILD BARFIELD : MODEL TRT 1020 (TOP LOADING) Internal Dimensions: 250 DIA x 500mm Deep. Air Circulation. Phillips Temp. Control. Electrical Rating: 8Kw 240V. AC <u>PRICE = £2145 Ex-works + VAT.</u></p>	TRT1020

750°C	<p>LENTON FURNACE Internal Dimensions: 215mm H x 215mm W x 300mm D. Air Circulation. Stainless Steel Lining. Lift-Up Door. West 2050 Digital Programmer & West 6700+ Digital Over-temperature. Electrical Rating: 3Kw. 240V. AC. <u>PRICE = £2050 Ex-works + VAT</u></p>	
1000°C	<p>CARBOLITE VTE5 CRUCIBLE FURNACE. (TOP LOADING) CAR20/44CF Internal Dimensions: 200mm. DIA x 445mm. Deep Lift aside Lid. Analogue Temp. Control. Elect. Rating: 6Kw 240V. AC <u>PRICE = £1100 Ex-works + VAT.</u></p>	
1000°C	<p>CATTERSON SMITH TOP HAT FURNACE Internal Dimensions: 400mm W x 225mm H x 1220mm L. Floor Standing Complete with 2 Hearths & Manually Operated Lifting Gear. Digital Temperature Controller & 100mm Strip Chart Recorder. Elect. Rating: 415V AC. <u>PRICE = £2145 Ex-works + VAT</u></p>	110L
1050°C	<p>WILD BARFIELD: MODEL HW.0905 Internal Dimensions: 125mm H x 230mm W x 455mm D. Vertical Door. Floor Standing. Analogue Temperature Control. Inert Gas Connection. Electrical Rating: 10Kw. 415V. AC. <u>PRICE = £1495 Ex-works + VAT</u></p>	13L
1100°C	<p>CROMARTIE (TOP LOADING) FURNACE. With Retort Internal Dimensions (of Retort): 395mm. DIA x 395mm. Deep Hinged Top with Lift-off Lid Retort Lid. With Floor Stand. Digital Programmable. Temp. Control. Inert Gas Contol fittings. Electrical Rating: 5Kw 415V. AC <u>PRICE = £1950 Ex-works + VAT.</u></p>	CRMT11
1150°C	<p>ROYCE Internal Dimensions: 230mm H x 210mm W x 915mm D. Vertical Door. Floor Standing. CRL Digital Temp. Control. Eurotherm 106 Over-temp. Air Circulation Fan facility. Transformer. Electrical Rating: 16Kw. 415V. AC. <u>PRICE = £1625 Ex-works + VAT</u></p>	44L
1150°C	<p>GILSON: MODEL HW.S0374 Internal Dimensions: 200mm H x 530mm W x 550mm D. Drop down Door. Digital Temperature Control. Forced Extraction option. Stainless Steel Case. Electrical Rating: 10Kw. 400V. AC. <u>PRICE = £2535 Ex-works + VAT</u></p>	58L
1175°C	<p>WILD BARFIELD: MODEL HW.0905 Internal Dimensions: 125mm H x 230mm W x 455mm D. Vertical Door. Floor Standing. Analogue Temp. Control/Indicator. Inert Gas Connection. Electrical Rating: 10Kw. 415V. AC. <u>PRICE = £1495 Ex-works + VAT</u></p>	13L/A
1175°C	<p>SG FURNACES: TOP HAT FURNACE WITH BELL RETORT Internal Dimensions: 1000mm H x 1000mm Dia. C/W Crane Lift and Framework. Eurotherm Digital Temperature Controls. Inert Gas / Hydrogen Connections. Electrical Rating: 72Kw. 415V. AC. <u>PRICE = £8750 Ex-works + VAT</u></p>	SG100/100TL

1200°C NEW	MLF CRUCIBLE TLW12 FURNACE. (TOP LOADING) Internal Dimensions: 230mm. DIA x 300mm. Deep Lift-off Lid. Digital Temp. Controller. RCD Protection. Electrical Rating: 3Kw 230V. AC <u>PRICE = £2150 Ex-works + VAT</u>	9.6L
1200°C	CARBOLITE FURNACE (Sindanyo Case) Internal Dimensions: 90mm H x 150mm W x 235mm D. Lift-Up Door. Eurotherm Digital Controller & Digital Over-temperature. Chimney. New Muffle Element. Electrical Rating: 3Kw. 230V. AC. <u>PRICE = £1100 Ex-works + VAT</u>	3L
1200°C	AMALGAMS FURNACE Internal Dimensions: 130mm H x 190mm W x 750mm D. Up and Over Door. Thermal Fuse Protection. Analogue Controller / Indicator. Electrical Rating: 4.8Kw. 240V. AC. <u>PRICE = £1250 Ex-works + VAT</u>	19L
1200°C	LENTON FURNACE Internal Dimensions: 200mm H x 225mm W x 455mm D. Lift-Up Door. West 2050 Digital Programmer & Eurotherm 106 Over-temperature. Electrical Rating: 6Kw. 240V. AC. <u>PRICE = £1755 Ex-works + VAT</u>	20L
1200°C	LENTON FURNACE Internal Dimensions: 210mm H x 250mm W x 400mm D. Lift-Up Door. Eurotherm 2404 Digital Controller & West 6700+ Digital Over-temperature. Electrical Rating: 7Kw. 230V. AC. <u>PRICE = £1790 Ex-works + VAT</u>	21L
1200°C	CARBOLITE FURNACE Internal Dimensions: 220mm H x 255mm W x 405mm D. Lift-Up Door. Eurotherm Digital Controller & Digital Over-temperature. Rating: 7Kw. 400V. 3 Phase AC. <u>PRICE = £1885 Ex-works + VAT</u>	23L
1200°C	CROMARTIE KILN Internal Dimensions: 380mm H x 405mm W x 405mm D. Floor Stand. Analogue Temperature Control. Door Interlock. Side Hinged Door. Electrical Rating: 6Kw. 240V. AC. <u>PRICE = £1560 Ex-works + VAT</u>	62L
1200°C	ELECTRIKILN TL8HT TOP LOADING KILN Internal Dimensions: 450mm H x 450mm W x 380mm D Hinged Door. Wire Elements. Complete with Controls Electrical Rating: 6Kw. 240V. AC <u>PRICE = £1625 Ex-works + VAT</u>	77L
1200°C	WEBCOT KILN Internal Dimensions: 440mm H x 450mm W x 440mm D. Floor Stand. Analogue Temperature Control. Door Switch. Double Side Hinged Doors. Electrical Rating: 7Kw. 240V. AC. <u>PRICE = £1625 Ex-works + VAT</u>	87L

1200°C	<p>KILNS & FURNACES KILN Model: L1MHT Internal Dimensions: 445mm H x 457mm W x 445mm D. Floor Stand. Analogue Temperature Control. Side Hinged Door. Electrical Rating: 10Kw. 240V. AC. <u>PRICE = £1695 Ex-works + VAT</u></p>	88L
1200°C	<p>CARBOLITE FURNACE GPC12/81 Internal Dimensions: 300mm H x 450mm W x 650mm D. Swing-Aside Door. Eurotherm 808 Digital Controller Rating: 13Kw. 400V. 3 Phase /N AC. <u>PRICE = £2925 Ex-works + VAT</u></p>	89L
1200°C	<p>KILNS & FURNACES KILN Model: SK608 Internal Dimensions: 380mm H x 380mm W x 660mm D. Floor Stand. Analogue Temperature Control. Side Hinged Door. Electrical Rating: 10Kw. 240V. AC. <u>PRICE = £1885 Ex-works + VAT</u></p>	95L
1200°C	<p>RAKU - WEBCOT / WENGER KILN: 3700 Internal Dimensions: 670mm H x 380mm W x 460mm D. Floor Standing. West Digital 3300 Temperature Control, Timer, Side Hinged Door. Door Interlock. Electrical Rating: 12Kw. 415V. AC. <u>PRICE = £1755 Ex-works + VAT</u></p>	117L
1200°C	<p>KILNS & FURNACES KILN Model: L5HT Internal Dimensions: 610mm H x 457mm W x 457mm D. Floor Stand. Analogue Temperature Control. Side Hinged Door. Electrical Rating: 12.5Kw. 415V. AC. <u>PRICE = £2050 Ex-works + VAT</u></p>	126L
1300°C	<p>WEBCOT KILN Internal Dimensions: 330mm H x 280mm W x 310mm D. Floor Stand. Analogue Temperature Control. Side Hinged Door. Electrical Rating: 3Kw. 240V. AC. <u>PRICE = £1295 Ex-works + VAT</u></p>	28L
1300°C	<p>WEBCOT / WENGER KILN: 3700 Internal Dimensions: 680mm H x 380mm W x 510mm D. Floor Standing. Digital Temperature Control, Side Hinged Door. Electrical Rating: 9.5Kw. 415V. AC. <u>PRICE = £1885 Ex-works + VAT</u></p>	131L
1300°C	<p>MLF FURNACE: Internal Dimensions: 1060mm H x 450mm W x 350mm D. 3 x 340mm High Compartments (Removable Shelves). Floor Standing, Side Hinged Door. Cooling Vent. Silicon Carbide Heating Elements. Eurotherm 2416CG Digital Programmable Temperature Control, Eurotherm 2132i Over-Temp. Electrical Rating: 35Kw. 415V. AC. <u>PRICE = £5350 Ex-works + VAT</u></p>	167L
1350°C	<p>WILD BARFIELD: MODEL HTP25 Internal Dimensions: 100mm H x 150mm W x 305mm D Silicon Carbide Elements. Temp. Controls. Elect. Rating: 5Kw. 240V AC. <u>PRICE = £1625 Ex-works + VAT</u></p>	4.6L

1350°C / 1000°C	MLF DOUBLE CHAMBER FURNACE DCF1 Both Chambers: Internal Dimensions: 205mm H x 275mm W x 455mm D. Lift-Up Doors. Eurotherm 2216e Digital Controllers. Total Electrical Rating: 21Kw. 415V. AC. <u>PRICE = £4485 Ex-works + VAT</u>	20 / 20L
1400°C	TOP LOADING CRUCIBLE FURNACE Internal Dimensions: 150mm x 150mm x 210mm H Silicon Carbide Elements. Analogue Temperature Control. Variable Transformer for Element Ageing compensation. Lift Off Lid. Electrical Rating: 6Kw. 240V. AC <u>PRICE = £1755 Ex-works + VAT</u>	4.7L
1400°C	CARBOLITE FURNACE: MODEL MFHT2 Internal Dimensions: 150mm H x 230mm W x 480mm D. Silicon Carbide Elements. Up & Over Door Thermal Fuse, Door Switch. Eurotherm Temp. Control. Gas inlet. Electrical Rating: 14 Kw. 415V AC. <u>PRICE = £2395 Ex-works + VAT</u>	16L
1500°C	ISOHEAT: FURNACE Internal Dimensions: 200mm H x 200mm W x 300mm D. Silicon Carbide Elements. Lift-Up Door. Digital Temperature Controller. Eurotherm 2116 Digital Over-temperature Protection Control. Electrical Rating: 415V AC. <u>PRICE = £4225 Ex-works + VAT</u>	12L
1700°C	ISOHEAT: FURNACE Internal Dimensions: 350mm H x 200mm W x 400mm D. Kanthal Elements. Side Swing Door. Digital Temperature Controller. Eurotherm Digital Temperature Controller. Eurotherm 2116 Digital Over-temperature Protection Control. Floor Standing. Electrical Rating: 415V AC. <u>PRICE = £7495 Ex-works + VAT</u>	28L

TUBE FURNACES

999°C	F/I THERMOCOUPLE CALIBRATION FURNACE Internal Dimensions: 50mm DIA x 1220mm LONG. Digital Controller Electrical Rating: 2.9Kw. 240V AC. <u>PRICE = £895 Ex-works + VAT</u>	Ref. CAL10-50/1220
1000°C	TUBE FURNACE Internal Dimensions: 38mm DIA. x 300mm LONG. (No controls) Electrical Rating: 240V AC. <u>PRICE = £300 Ex-works + VAT.</u>	Ref. 10-38/300
1000°C	ISOHEAT TUBE FURNACE Internal Dimensions: 60mm DIA. x 270mm LONG. 220mm Hot Zone (No controls) Electrical Rating: 240V AC. <u>PRICE = £495 Ex-works + VAT.</u>	Ref. 10-60/270

- 1000°C CATTERSON SMITH VERTICAL TUBE (CLOSED AT BOTTOM)
Internal Dimensions: 126mm DIA x 640mm
5 ZONE (no controls & T/C's). Electrical Rating: 6Kw. 240V AC. Ref. 10-126/640
PRICE = £495 Ex-works + VAT
- 1000°C ROYCE VACUUM FURNACE Ref. 10-110/1225
110mm. ID. x 1225mm. Long. Horizontal with Retort.
Temp. Control (no Vacuum Pump) Elect. Rating: 10Kw. 415V. AC.
PRICE = £995 Ex-works + VAT.
- 1050°C WILD BARFIELD TUBE FURNACE MI.91
Internal Dimensions: 50mm DIA x 305mm LONG.
(Energy Regulator). Electrical Rating: 0.8Kw. 240V AC. Ref. 105-50/305
PRICE = £495 Ex-works + VAT
- 1200°C SEVERN SCIENCE LTD. INT. DIM: 50mm DIA. x 460mm LONG.
3 ZONE. (No controls) Electrical Rating: 4.2Kw. 110V AC. Ref. 12-50/460
PRICE = £300 Ex-works + VAT.
- 1200°C SEVERN SCIENCE LTD. MODEL: TF506B
3 Zone. Internal Dimensions: 50mm DIA x 460mm LONG.
Eurotherm 3 Zone Control System.
Electrical Rating: 4.2Kw.240V AC. Ref. 12-50/460A
PRICE = £795 Ex-works + VAT
- 1200°C A.D.A.M.E.L. MODEL: T5HT
3 Zone Horizontal Tube. Int. Dim: 65mm DIA x 440mm LONG.
Complete with Eurotherm Digital Set-point MV. Controller,
Over-temperature Controller. Hour counter. .
Electrical Rating: 3Kw. 240V AC. Ref. 12-65/440
PRICE = £895 Ex-works + VAT.
- 1200°C RAMSEL NABER. MODEL: LR2 Tube Furnace
Internal Dimensions: 75mm DIA x 600mm LONG
Analogue Temp. Controller. Electrical Rating: 9Kw. 415V AC. Ref. 12-75/600
PRICE = £995 Ex-works + VAT

*** CONTROL SYSTEMS CAN BE SUPPLIED FOR ANY OF THE ABOVE UNITS THAT DO NOT HAVE CONTROLS INCLUDED ***

CONVEYOR OVENS & FURNACES:

- 1 OFF ABBESS CONVEYOR OVEN. 120°C. Max.
250mm Belt Width. 100mm Above Belt. Ventilation.
Fixed Conveyor Speed. 2.7M Long. Floor Standing.
Electrical Rating: 415V. AC.
PRICE = £1660 Ex-works + VAT
- 1 OFF ULTRA VIOLET CONVEYOR UNIT. 610mm Belt Width. 25mm Above Belt.
Ventilation.. Variable Conveyor Speed. 2.45M Long.
Elect. Rating: 415V. AC.
PRICE = £1660 Ex-works + VAT

- 1 OFF HEDIN 2 ZONE CONVEYOR OVEN. 250°C. Max..
240 mm Belt Width. 100mm Above Belt. Ventilation. Speed control. Digital
Temperature Controllers. Digital Time Switch, Analogue Policeman Controls. 3M
(heated zone) 3.8M Long belt. Electrical Rating: 15Kw. 415V.AC.
PRICE = £3575 Ex-works + VAT
- 1 OFF BTU T43-3-54 3 ZONE CONVEYOR FURNACE. 1150°C. Max..
90 mm Belt Width. 110mm Above Belt. Speed control. Digital
Temperature Controllers. Policeman Controls.
5.6m Overall Length. 1.25m Cooling Zone.
Electrical Rating: 415V.AC.
PRICE = £5940 Ex-works + VAT
- 1 OFF LINDBERG 47-HC-6964-20C-72 6 ZONE CONVEYOR FURNACE. 1100°C. Max..
150 mm Belt Width. 150mm Above Belt. Speed control. Digital
Temperature Controllers. Policeman Controls. 2.46m Heated Length.
7.78m Overall Length. Cooling Zone.
Electrical Rating: 40 Kw. 415V.AC.
PRICE = £6875 Ex-works + VAT

OTHERS AVAILABLE – PLEASE CONTACT MLF FOR SIZES.

**ALTERNATIVE CONTROLLERS / PROGRAMMERS / RECORDERS / TIMERS ETC.
CAN BE FITTED TO ABOVE IF REQUIRED**